

# HHER UNIVERD SHAHES ORANIERIOA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

# Virginia Tech Intellectual Properties, Inc.

MUCCOS, THERE HAS BEEN PRESENTED TO THE

#### Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE, ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE PURPOSE, OR USING IT IN ADDUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY TECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEO.)

#### WHEAT, COMMON

'38206'

In Destinant Messest, I have hereunto set my hand and caused the seal of the Hant Hassisty Heatestian Office to be affixed at the City of Washington, D.C. this first day of July, in the year two thousand three.

Attest

Bemjahre

Commissioner Plant Variety Protection Office Agricultural Marketing Service cy of Agriculture

\* U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
SCIENCE AND TECHNOLOGY - PLANT VARIETY PROTECTION OFFICE

The following statements are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995.

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE (Instructions and information collection burden statement on reverse)

Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).

1			,					
1.	NAME OF OWNER Virginia Tech Intellectual F	Properties, Inc.			2. TEMPORARY DESIGNATION EXPERIMENTAL NAME VA97W-206	ON OR	3. VARIETY NAME 38206	
4.	ADDRESS (Street and No., or R.F.D. Virginia Tech Intellectual Pro		ountry)		5. TELEPHONE (include a 540-951-9378	· ·	FOR OFFICIAL USE ONLY	
	1872 Pratt Dr., Ste.1625						2003 0 0 1 1	
	Blacksburg, VA 24060	•			6. FAX (include area code 540-951-5292	)  -	FILING DATE	
		*	<del>,</del>	<del></del>			TIERO DATE	
7. IF 1 OR	THE OWNER NAMED IS NOT A "PER: GANIZATION (comporation, partnership Corporation	SON", GIVE FORM OF o, association, etc.)	1	ORATED, GIVE NCORPORATION II <b>ni</b> a	9. DATE OF INCORPORATION June 20, 1985	)N	1/30/2003	
10.	NAME AND ADDRESS OF OWNER R Carl A. Griffey Crop and Soil E Virginia Tech Blacksburg, VA	Environmental Scier		N. (First person listed wi	ill receive all papers)		FILING AND EXAMINATION FEES:  \$ 2705.00  B DATE 1/30/2003	
							s 432.00 Date 6/11/2003	
11.	TELEPHONE (Include area code) 540-231-9789	12. FAX (Include area code) 540-231-3431	13.	E-MAIL Cgriffey@vt.edu			P KIND (Common Name) t, Common	
	HECK APPROPRIATE BOX FOR EACH	H ATTACHMENT SUBMITTED (Follow	vinstructions on	19. DOES THE C	OWNER SPECIFY THAT SEED C SEED? See Section 83(a) of			
a.	Exhibit A. Origin and Breeding	g History of the Variety			S (If "yes", answer items 20 and 21 below)		NO (If "no," go to item 22)	
b. Exhibit B. Statement of Distinctness				and 21 below)  20. DOES THE OWNER SPECIFY THAT SEED OF THIS YES NO				
c. 📝 Exhibit C. Objective Description of Variety				VARIETY BE LIMITED AS TO NUMBER OF CLASSES?				
d.			IF YES, WHIC	IF YES, WHICH CLASSES?    FOUNDATION    REGISTERED    CERTIFIED				
e. Exhibit E. Statement of the Basis of the Owner's Ownership				21. DOES THE OWNER SPECIFY THAT THE CLASSES BE				
<ul> <li>f. Voucher Sample (2,500 viable untreated seeds or, for tuber propagated varieties, verification that tissue culture will be deposited and maintained in an approved public repository)</li> </ul>				OWNER SPECIFY THAT THE CL TO NUMBER OF GENERATION:		☐ YES ☐ NO		
g.	g. Filing and Examination Fee (\$2,450), made payable to "Treasurer of the United States" (Mail to the Plant Variety Protection Office)				CIFY THE 2, 3, etc. FOUNDATI explanation is necessary, please		REGISTERED CERTIFIED	
22. HAS THE VARIETY (INCLUDING ANY HARVESTED MATERIAL) OR A HYBRID PRODUCED FROM THIS VARIETY BEEN SOLD, DISPOSED OF, TRANSFERRED, OR USED IN THE U. S. OR OTHER COUNTRIES?				23. IS THE VARI	ETY OR ANY COMPONENT OF RIGHT (PLANT BREEDER'S RIG	THE VARIET	Y PROTECTED BY INTELLECTUAL	
	YES LINO  IF YES, GIVE COUNTRY, DATE OF FILING OR ISSUANCE AND ASSIGNED						E AND ASSIGNED	
IF FC	IF YES, YOU MUST PROVIDE THE DATE OF FIRST SALE, DISPOSITION, TRANSFER, OR USE FOR EACH COUNTRY AND THE CIRCUMSTANCES. (Please use space indicated on reverse.)							
The and	e owners declare that a viable sample a tuber propagated variety a tissue cui e undersigned owner(s) is(are) the own d is entitled to protection under the pro mer(s) is (are) informed that false repre	ner of this sexually reproduced or tuber visions of Section 42 of the Plant Varie	r propagated plant ety Protection Act.	variety, and believe(s) to				
		Service of the serious feebaruize protein	and result III	poriantes.				
SIGNAT	ture of owner WhataA4	mut		SIGNATURE OF	OWNER			
NAME (	(Please print or type)			NAME (Please pri	int or type)			
M	Martin							
	Exe utive Vice Pr	esident DATE	1/63	CAPACITY OR TI	TLE		DATE	
PT 470 /	(2.00) designed by the Ellent Veriety D	rotection Office with WordPerfect 6 0a	Davis on OTD 4	70 /6.09) which is obsolu	/0		oformation collection burden statement)	

2003001

GENERAL: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E; (3) for a seed reproduced variety at least 2,500 viable untreated seeds, for a hybrid variety at least 2,500 untreated seeds of each line necessary to reproduce the variety, or for tuber reproduced varieties verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; (4) check drawn on a U.S. bank for \$2,450 (\$300 filing fee and \$2,150 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice.) Partial applications will be held in the PVPO for not more than 90 days, then returned to the applicant as unfiled. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 500, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a check payable to "Treasurer of the United States" in the amount of \$300 for issuance of the certificate. Certificates will be issued to owner, not licensee or agent.

> **Plant Variety Protection Office** Telephone: (301) 504-5518 FAX: (301) 504-5291

Homepage: http://www.ams.usda.gov/science/pvp.htm

#### ITEM

- 18a. Give:
- (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method:
- (2) the details of subsequent stages of selection and multiplication;
- (3) evidence of uniformity and stability; and
- (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 18b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
  - (1) identify these varieties and state all differences objectively;
  - (2) attach statistical data for characters expressed numerically and demonstrate that these are clear differences; and
  - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 18c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 18d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- 18e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
- 19. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
- 21. See Section 83 of the Act for the Contents and Term of Plant Variety Protection.
- 22. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- See Section 5.5 of the Act for instructions on claiming the benefit of an earlier filing date.
- 21. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)

22. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)

Foundation seed of wheat variety 38206 was provided to seedsmen in fall 2001 for multiplication, and Select seed was first sold to growers in fall 2002.

23. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. There is no charge for filing a change of address. The fee for filing a change of ownership or assignment or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

To avoid conflict with other variety names in use, the applicant must check the variety names proposed by contacting: Seed Branch, AMS, USDA, Room 213, Building 306, Beltsville Agricultural Research Center--East, Beltsville, MD 20705. Telephone: (301) 504-8089.

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number for this collection of information is (0581-0055). The time required to complete this information collection is estimated to average 1.4 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, political beliefs, sexual orientation, and marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact the USDA's TARGET Center at 202-720-2600 (voice and TDD). To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

S&T-470 (2-99) designed by the Plant Variety Protection Office with WordPerfect 6.0a. Replaces STD-470 (6-98) which is obsolete.

#### **38206** Wheat

### 14A. Exhibit A: Origin and Breeding History

Genealogy and Breeding Method

Wheat cultivar 38206 (formerly tested as VA97W-206) was derived from cross VA88-54-338/VA89-52-39. The pedigree of VA88-54-338 is 'Lovrin 29'/'Tyler'//'Redcoat'\*2/'Gaines' and VA89-52-39 has the parentage 'Saluda'/'Massey'. The cross was made in spring 1990, and the F<sub>1</sub> generation was grown in the field as a single 4ft headrow in 1991 to produce F<sub>2</sub> seed. The population was advanced from the F<sub>2</sub> to F<sub>5</sub> generation using a modified bulk breeding method.

**Population Advancement and Selection of the Variety**. Wheat spikes were selected from the population in each segregating generation  $(F_2 - F_4)$  on the basis of absence of obvious disease, early maturity, short straw and desirable head shape and size. Selected spikes were threshed in bulk, and the seed was planted in  $225 \, \mathrm{ft}^2$  blocks in the fall of each year. Spikes selected from the  $F_5$  bulk were threshed individually and planted in separate 4ft headrows. The wheat line that was subsequently released as 38206 was derived as a bulk of one of these  $F_6$  headrows selected in 1996. The line was tested as entry 206 in non-replicated observation tests in 1997 and was designated VA97W-206. This line was tested in replicated preliminary tests in 1998 (Table 3), in advance tests in 1999 (Table 2), and in the Virginia Variety Trials (Table 1) and USDA-ARS Uniform Southern Soft Red Winter Wheat Nursery (Table 4) in 2000.

**Multiplication and Purification.** Initial Breeder seed of 38206 (VA97W-206) was developed via removal of visual variants from a 0.12 acre  $F_8$  purification block. This seed was planted on 3 acres at the VCIA Foundation Seed Farm in fall 1999 and produced 200 bu of Breeder seed. In fall 2000, 70 acres of 38206 wheat were planted, which produced 5000 bu of Foundation seed. While 38206 wheat has remained stable and uniform in composition through the last four generations of self-pollination, the initial Breeder seed of 38206 contained the following proportion of variants: up to 0.5% taller plants, 0.3% shorter plants, and 0.5% plants with longer awns.

In the fall of 1999, 280 F<sub>10</sub> headrows of 38206 wheat were planted to develop a purer source of Breeder seed. These rows were evaluated for uniformity and trueness of type several times during the growing season. Variant rows were removed and the remaining 251 rows were harvested in bulk to form a purer source of Breeder seed. This seed planted on 1.7 acres at the VCIA Foundation Seed Farm in fall 2000.

### 14B. Exhibit B: Novelty Statement

Wheat cultivar 38206 is uniquely different from all known cultivars. In comparison to other cultivars which 38206 has been tested with, it is most similar to 'FFR 555W'. Wheat 38206 is moderately resistant to powdery mildew (*Blumeria graminis*), while FFR555W is moderately susceptible (Tables 1-3). In field tests conducted over a 3 year period, mildew ratings (0=Immune to 9=completely susceptible) for 38206 versus FFR555W were significantly lower (L.S.D. = 1.0 at  $P \le 0.05$ ) in 1998 (score of 4 vs. 7), 1999 (score of 1 vs. 5), and 2000 (score of 0 vs. 5). FFR555W has gene Lr10 governing resistance to leaf rust (*Puccinia triticina*) and is resistant to race TLGG (virulence for genes Lr1, 2a, 2c, 3, 9, 11, 18), while wheat 38206 does not possess gene Lr10 and is susceptible to race TLGG.

#### U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK AND SEED DIVISION BELTSVILLE, MARYLAND 20705

EXHIBIT C

### OBJECTIVE DESCRIPTION OF VARIETY

	(TRITICUM SPP.)
Virginia Tech Intellectual Properties,	FOR OFFICIAL USE ONLY
ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code	
Virginia Tech Intellectual Properties,	· · · · · · · · · · · · · · · · · · ·
1872 Pratt Dr., Ste. 1625	· ·
Blacksburg, VA 24060	38206
Place a zero in first box (e-s. 0 8 9 or 0 9 ) when number	racter of this variety in the boxes below.
1. KIND:	The state of the s
1 1 = COMMON 2 = DURUM 3 = EMMER 4 = SPELT	5 = POLISH 6 = POULARD 7 = CLUB
2. TYPE:	1 = SOFT 3 = OTHER (Specify)
2 1 = SPRING 2 = WINTER 3 = OTHER (Specify)	1 2 = HARO
2 1 = WHITE 2 = RED 3 = OTHER (Specify)	· · · · · · · · · · · · · · · · · · ·
3. SEASON - NUMBER OF DAYS FROM EMERGENCE TO:	
FIRST FLOWERING	LAST FLOWERING
4. MATURITY (50% Flowering):	
0 2 NO. OF DAYS EARLIER THAN	7 1 = ARTHUR 2 = SCOUT 3 = CHRIS
0. 3 NO. OF DAYS LATER THAN	8 4 = LEMHI 5 = NUGAINES 6 = LEEDS 7 = FFR555W 8 = Pioneer 2580
5. PLANT HEIGHT (From soil level to top of head):	
9, 0 CM. HIGH	
0 8 CM. TALLER THAN	9 8=Pioneer 2580 9=Coker 9835
0 5 CM. SHORTER THAN	1 = ARTHUR 2 = SCOUT 3 = CHRIS
PLANT COLOR AT BOOTING (See reverse):	4 = LEMHI 5 = NUGAINES 6 = LEEDS  7. ANTHER COLOR:
2 T = YELLOW GREEN 2 = GREEN 3 = BLUE GREEN	1 1 = YELLOW 2 = PURPLE
STEM:	
Anthocyanin: 1 = ABSENT 2 = PRESENT	2 Vaxy bloom: 1 = ABSENT 2 = PRESENT
2 Hairiness of last internode of rachis: 1 = ABSENT 2 = PRESENT	1 Intermodes: 1 = HOLLOW 2 = SOLID
0 5 NO. OF NODES (Originating from node above ground)	2 1 CM INTERNODE LENGTH BETWEEN FLAG LEAF AND LEAF BELOW
AURICLES:	
Anthocyanin: 1 = ABSENT 2 = PRESENT	Hairiness: 1 = ABSENT 2 = PRESENT
LEAF	
Flag leaf at 1 = ERECT 2 = RECURVED booting stage: 3 = OTHER (Specify): Droopy	1 Flag leaf: 1 = NOT TWISTED 2 = TWISTED
2 Hairs of first leaf sheath: 1 = ABSENT 2 = PRESENT	2 Waxy bloom of flag leaf sheath: 1 = ABSENT 2 = PRESENT
1 1 MM. LEAF WIOTH (First leaf below flat leaf)	1 8 CM. LEAF LENGTH (First leaf below flag leaf):

200300112

11. HEAD:  2 Density: 1 = LAX 2 = DENSE	Shape: 1 = TAPERING 2 = STRAP 3 = CLAVATE 4 = OTHER (Specify)
Awnedness:   = AWNLESS 2 = APICALLY AWNLE	ETED 3 = AWNLETED 4 = AWNED
Color at maturity: 5 = BROWN 6 = BLACK	PINK 4 = RED 7 = OTHER (Specily):
0 7 CM. LENGTH	1 4 MM. WIDTH
12. GLUMES AT MATURITY:  3 Length: 1 = SHORT (CA. 7 mm.) 2 = MEDIUM (CA. 3 = LONG (CA. 9 mm.)	8 mm.) 3 Width: 1 = NARROW (CA. 3 mm.) 2 = MEDIUM (CA. 3.5 mm.) 3 = WIDE (CA. 4 mm.)
Shoulder 1 = WANTING 2 = OBLIQUE 3 = ROUN shape: 4 = SQUARE 5 = ELEVATED 6 = APIC	
13. COLEOPTILE COLOR:	14. SEEDLING ANTHOCYANIN:
2 1 = WHITE 2 = RED 3 = PURPLE	1 1 = ABSENT 2 = PRESENT
15. JUVENILE PLANT GROWTH HABIT:	
2 I = PROSTRATE 2 = SEMI-ERECT	3 = ERECT
14. SEED:	
1 Shape: I = OVATE 2 = OVAL 3 = ELLIPTICAL	1 Check: 1 = ROUNDED 2 = ANGULAR
Brush. 1 = SHORT 2 = MEDIUM 3 = LONG	Brush: I = NOT COLLARED 2 = COLLARED
Phenol reaction 1 = IVORY 2 = FAWN 3 = L	
4 (See instructions): 4 = BROWN 5 = BLACK	1. BROWN
3 Color: I = WHITE 2 = AMBER 3 = RED 4 = P	PURPLE 5 = OTHER (Specify)
0 6 MM. LENGTH 0 3 MM. WIDTH	3 1 GM. PER 1000 SEEDS
17. SEED CREASE:	
1 Width: 1 = 60% OR LESS OF KERNEL 'WINOKA'	3 Depth: 1 = 20% OR LESS OF KERNEL 'SCOUT'
2 = 80% OR LESS OF KERNEL 'CHRIS'	2 = 35% OR LESS OF KERNEL 'CHRIS'
3 = NEARLY AS WIDE AS KERNEL 'LEMHI'	3 = 50% OR LESS OF KERNEL 'LEMHI'
18. DISEASE: (0 = Not Tested, 1 = Susceptible, 2 = Resistant  STEM RUST (Races) TPMK  1 LEAF RUST (Races) Genes LR	
2 POWDERY MILDEW 0 BUNT	OTHER (Specify) SBMV
19. INSECT: (0 = Not Tested, 1 = Susceptible, 2 = Resistant)	
O SAWFLY O APHID (Bydv.)	O GREEN BUG 1 CEREAL LEAF BEETLE
1 OTHER (Specify) HF Biotype L HESSIAN I	FLY ) T GP O A T B T C
RAC	ES: \ \ \lambda \ \ \lambda \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
O. INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES	
CHARACTER NAME OF VARIETY	CHARACTER NAME OF VARIETY
Plant tillering Leaf size	Seed size
Leaf color	Seed shape Coleoptile elongation
Leaf carriage	Seedling pigmentation
	1 -zeering britingssteinen

#### INSTRUCTIONS

GENERAL: The following publications may be used as a reference aid for the standardization of terms and procedures for completing this form:

- (a) L.W. Briggle and L. P. Reitz, 1963, Classification of Triticum Species and Wheat Varieties Grown in the United States, Technical Bulletin 1278, United States Department of Agriculture.
- (b) W.E. Walls, 1965, A Standardized Phenol Method for Testing Wheat Seeds for Varietal Purity, contribution No. 28 to the handbook of seed testing prepared by the Association of Official Seed Analysts. (See attachment.)

#### **38206 Wheat**

### 14D. Exhibit D: Additional Description of 38206 Wheat.

Since wheat cultivar 38206 (VA97W-206) has not been tested in comparison with any of the six cultivars listed in Exhibit C, average data on performance in Virginia from 1998 to 2000 are presented in Tables 1-4. Wheat 38206 is a mid-season, high-yielding, medium-stature, apically awnleted, soft red winter wheat with good straw strength. Head emergence is three days later than Pioneer '2580' and two days earlier than 'FFR 555W'. Plant height of 38206 (35-36 inches) is three inches taller than 'Coker 9835' and two inches shorter than Pioneer 2580 and AGS 2000. Straw strength of 38206 is very good and similar to that of Pioneer 2580 and FFR 555W. It has better straw strength than 'Coker 9663'. In Virginia, grain yields of 38206 have been similar or exceeded those of the best check cultivars and have averaged 84 bu/ac versus 79 bu/ac for Pioneer 2580 and 75 bu/ac for the test average. Test weight of 38206 has ranged from 53.9 to 59.0 lb/bu with an average of 56.7 lb/bu. Its test weight has been consistently higher than that of FFR 555W (55.1lb/bu). Among 32 entries in the 2000 USDA-ARS Uniform Southern Soft Red Winter Wheat Nursery, 38206 ranked 2<sup>nd</sup> in grain yield (80 bu/ac) following AGS 2000 with the top yield of 83 bu/ac (Table 4). Average test weight of 38206 (57.5 lb/bu) was nearly 2 lb/bu higher than that of Coker 9835. Based on very limited data, winter-survival of 38206 is moderate. SS560 has acceptable milling and baking quality and is superior to Coker 9663 in this aspect (Table 5).

The older version of Exhibit C which limits disease reaction classes to resistant or susceptible was submitted with this PVP application; however, on the basis of the classifications in the revised Exhibit C, wheat 38206 exhibits an Intermediate to Resistant reaction to powdery mildew (*Blumeria graminis*), leaf blotch (*Septoria tritici*), glume blotch (*Stagonospora nodorum*), barley yellow dwarf virus, wheat spindle streak mosaic virus, and soil-borne mosaic virus. It exhibits an Intermediate to Susceptible reaction to leaf rust (*Puccinia triticina*), stem rust (*Puccinia graminis*), and stripe rust (*Puccinia striiformis*). It is susceptible to Hessian fly biotypes GP, B, C, D, E and L.

Table 1. Summary of performance of VA97W-206 in the Virginia Tech Wheat Test, 2000 harvest.\*

Brand/Variety	Yield (Bu/A) (7)	Test Weight (Lb) (6)	Date Headed (Mar 31+) (4)	Height (In) (3)	Lodging** (0.2-10) (5)	Powdery Mildew (0-9)\$ (2)	Leaf Rust (0-9)◊ (2)	Barley Yellow Dwarf (0-9)◊ (2)
VA97W-206	80 +	57.3	32 +	37	1.0	0	3	2
USG 3209	83 +	57.3	27 -	36	1.8÷	0	5 ÷	. 2
PIONEER 2580(B)	.76	56.1 -	28 -	38	0.3 -	0	3	2
PIONEER 2643(B)	75	57.0	29 -	34	0.2 -	Ö	3	2
ROANE	74	58.8+	33 +	37	0.7	2	3	2
MADISON(B)	71 -	55.5 -	29 -	40	1.2	1	5 +	2
VA96W-403WS	70 -	55.2 -	34 +	41	0.8	1	3	2
COKER 9835(DA)	70 -	56.2 -	30	35	0.4	1	4	2
COKER 9663(DA)	68 -	57.7+	29 -	43	1.6	3	0 -	2
FFR 555W(B)	63 -	55.3 -	33 +	38	0.3 -	5 .	<b>6</b> +	4 +
Test Average	75	56.9	. 30	38	1.0	1	3	2
L.S.D. (0.05)	3	0.5	1		0.7	1	2	1
C.V.	8	1.5	3	3	102.7	87	49	25

<sup>\*</sup>Varieties are ordered by descending statewide averages. A plus or minus sign indicates a performance significantly above or below the test average. The number in parentheses below column headings indicates the number of locations on which data are based.

<sup>\*\*</sup> Belgian Lodging Scale = Area X Intensity X 0.2. Area = 1-10, where 1 is wheat unaffected and 10 is entire plot affected and Intensity=1-5, where 1 is wheat standing upright and 5 is wheat lying totally flat.

 $<sup>\</sup>diamond$ The 0-9 ratings indicate relative disease intensity where 0=none and 9=total plant infection.

Table 2. Summary of performance of VA97W-206 in the Advance Wheat Test at three locations in Virginia and one location in North Carolina, 1999. The number below each column heading indicates the number of locations u

_				1	ares the m	English data are trumber of locations upon which data are based	ations upo	an which d	ata arro ha	Poor
		Test	Heading						7	Deti.
	Viold	MAZOLOLE	Ç		,	ı	Lowdery			Winter
. *	TITI	weignt	Date	Height	Lodging	Leaf Rust	Mildow	Comtonia	77.77	1
Line	(bu/A)	(lps/pn)	(Julian)	(in)	(0.2-10)	/n n/2	(0.0)	Deptoria	V TI O	KIII
	Ą	.	,	1	(01-10)	(6-2)	(n-y)	(6-0)	6-6)	(6 <del>-</del> 0)
	F	#	7	2	<del>, ,</del>	က	2	1	~	, ,
FFR 555W	69.2	58.4	129	Pε	0.0	L		   	,	<b>,</b>
Pioneer 2580	) )0	ě	}	<b>K</b>	c.o	n	S	<del>(  </del>	4	60
	000	98.0	123	35	0.2	ιΩ	,	-	ć	, ,
Pioneer 2643	83.2	59.5	103	31	ç	. [	4	7	7	<b>-</b>
Madison	9	) ( 	1	J.	7.0	'n	₩	<del>, ,</del>	m	<del></del>
TOCIANTA	19.8	57.9	123	38	0.5	4	Ç	•	ć	t 1
Agripro Patton	78.0	7.82	125	24			4	7	N	1
Pocahontas				, ,	#.O	-	7	<del></del>	ლ	<b>C</b>
+ ocalibatinas	0.4.0	59.6	122	32	0.2	LC)		-		, 4
Koane	88.0	61.6	128	3.4	c	. •		₹ .	2	
Coker 9663	75.0	70 3	107	# 6 5	0.2 7.0	4	<b>-</b>	1	<del></del>	.0
V7 A OUTLA 0.00			27	ξŷ	9.0	0	4	_	-	,
v A9/W-206	94.0	59.0	126	33	0.0	Ç	7	l y	<del>-</del> .	נ
Test Mean	83.2	59.1	125	37		0 6	٦ ,		7	<del></del>
LSD	t.	Ĺ	} ,	5	6.5	o.	=	<del>, -1</del>	8	<del></del>
	7.0	6.5	<del></del>	Н	0.3	⊣	<del>-</del>		•	7

¹ Belgian Lodging Scale=area x intensity x 0.2. Area is rated on a scale from 1 (plot unaffected) to 10 (entire plot affected). Intensity is rated on a scale from 1 (plants standing upright) to 5 (plants lying totally flat on the ground).

Table 3. Summary of performance of VA97W-206 in the Preliminary Wheat Test at three locations in Virginia and two locations in North Carolina, 1998. The number below each column heading indicates the number of locations upon which data

			;	4.	MICHIES IIIC		tocamons n	pon which	data are	based.
	-	lest	Heading	Plant			Powdery			
	Yield	Weight	Date	Height	Lodging	Leaf Rust	Mildow	Sontorio	MACCA	IA72 6 YC 211
Line	(bu/A)	(ng/sqI)	(Julian)	E.	$(0.2-10)^{1}$	$(0.9)^2$		(0-9)	(F9)	Vinter 8,111
	4	4	2	2	3	3	2		٦ ا	
Massey	56	53.0	121	41	,,,	t		1	•	<b>,</b>
7 / 19 世	i i	1	171	<b>#</b>	0.0		'n	_	m	0
Madison	71	54.0	118	40	2.0	ĽΩ	4	¥	c	
Jackson	99	F / 4	120	į	4	١ ١	•	•	3	>
	8	H.H.	170	3/	7.9	9	ro	ო	4	_
FFR 555W	54	51.6	122	37	80.	<b>ب</b>	r	-		1 (
Pioneer 2580	7.3	C C E	7	. !			•	ţŧ	#	<b>-</b>
* 1011111 #200	c/	23.5	117	37	1.2	īΟ	m	ιΩ	4	<b>~</b>
VA97W-206	11	53,9	120	35	1.7	٧	4	L	۰ ۱	
Test Mean	2	53.4	110	35	0.0	»   •	,	ָן ין נ	٥	0
120 0) (10 1	, 1	•	·	3	2.0	#	· .	r.	က	4
LSD (0.05)	7	1.6	٠	⊣	1.4	7	-	<del>1-</del>	-	
,						ļ	4	-		

Belgian Lodging Scale=area x intensity x 0.2. Area is rated on a scale from 1 (plot unaffected) to 10 (entire plot affected). Intensity <sup>2</sup> All 0-9 ratings indicated relative disease severity: 0 = no disease present; 9 = total plant infection. is rated on a scale from 1 (plants standing upright) to 5 (plants lying totally flat on the ground).

Table 4. Summary of performance of VA97W-206 in the Uniform Southern Soft Red Winter Wheat Nursery in Virginia, 2000.

Juvenile Plant Growth Habit (0-5) <sup>6</sup>	2	H	7	7	1	-	<
Plant Height on 3/24/00 (in) <sup>5</sup>	13.2	13.5	12.7	13.7	11.0	12.2	<del>ر</del> د
BYDV (0-9)*	4	က	7	9	4	4	
BYDV (0-9)	0	0	0	0	0	0	-
Leaf Rust (0-9)		0	0	0	4	<del></del>	_
Powdery Mildew (0-9) <sup>4</sup>	ו גיי	ו מו	<b>-</b> ,	<b>-</b> -		80	
Powdery Mildew (0-9) <sup>3</sup>	י מ	۰ د	<del>4</del> c		ر د	Ω,	H
Lodging (0.2-10) <sup>2</sup>	) F	1:0 1:0	7.1	0.0	E 7	Ç. G	u.s
Plant Height (in)	S 9	38	2 %	3 2	32	} +	4
Heading Date (Julian)	110	114	115	121	119	<del>-</del>	4
Test Weight (lbs/bu) 57.3	60.1	57.3	59.1	57.9	58.1	0.6	2
Yield in VA (bu/A) 78.9	80.1	6.77	98.5	9.76	77.3	7.3	!
Overall Yield for Test (bu/A) <sup>1</sup>	73	6'69	82.8	79.7	68.3		
Line Coker 9835	Coker 9663	Mason	$AGS\ 2000$	VA97W-206	Test Mean	LSD	

<sup>1</sup>The "Overall Yield for Test" data are based on 27 locations within the southern U.S.

<sup>2</sup> Belgian Lodging Scale=area x intensity x 0.2. Area is rated on a scale from 1 (plot unaffected) to 10 (entire plot affected). Intensity is rated on a scale from 1 (plants standing upright) to 5 (plants lying totally flat on the ground).

<sup>3</sup> All 0-9 ratings indicated relative disease severity: 0 = no disease present; 9 = total plant infection.

<sup>4</sup> Data obtained from a one-replication observation test in Blacksburg, VA.

<sup>5</sup>This height measurement serves as an estimate of spring growth habit.

<sup>6</sup> Juvenile plant growth habit: 0 = prostrate, 5 = very erect.

<sup>7</sup>Test means are based on data from all 40 test entries.

	all galla D	aking dus	Lance of Milling and Daking Quality of VA9/W-206	/w-206					
	1999-2000	Uniform	1999-2000 Uniform Southern Soft Red Winter Wheat Nursery	Soft Red \	Winter Who	eat Nurse	2		1
					-		1		
	Milling	Milling	Bake	Bake	Softness	Flour	Florir	Water	Oct.
Entry	Score	Grade	Score	Grade	Score	Yield	Drofein	Arcark	Diameter C
			***************************************		Higher			Ower	Higher
	0 to >100	A to F	0 to >100	A to F	is soffer	%	%	ic hort	1 19110
Region 1+						2	?	1000	120 61
Coker 9835	104.8	A	95.3	B	64.9	71.2	8.13	61**	18.04
<b>Coker 9663</b>	96.2	B	92.6	ပ	52.0**	70.9	8.52	56.3	17.7E
Mason	100	A	99.9	A	59.2	70.8	6.80	57.3	17 91
AGS 2000	105.5	¥	106.3	4	58.3	73.1	8 75	76.5	10 4 K
VA97W-206	97	മ	95.7	В	53.7*	70.8	7.96	54.8	17.83
•	-								2
Region 2+									
<b>Coker 9835</b>	103.4	¥	96	m	61.7	71.2	7.96	59.5*	179
<b>Coker 9663</b>	92.3	ပ	85.6	٥	48.3**	70.1*	8.76	58.4	17.7*
Mason	100	A	100	A	54.2	71.1	9 18	57.2	17.9
AGS 2000	104.3	¥	96.4	B	52.7	73.1	9.52	56 B	17 B
VA97W-206	95.6	മ	93.9	ပ	52.9	*6 02	9.52	76 A	17.5*

+Region 1 includes most states in the deep south. Region 2 includes most states in the upper south. Mason was used as the quality standard.

AGRICULTURAL MARKETING SERVICE  EXHIBIT E	1974 (5 U.S.C. 552a) and the Papered Application is required in order to de	alemine il a plant variety neglectivo
STATEMENT OF THE BASIS OF OWNERSHIP	certificate is to be issued (7 U.S.C. 2 until certificate is issued (7 U.S.C. 242)	421). Information is held confidential
1. NAME OF APPLICANT(S)  Virginia Tech Intellectual Properties, Ir	2. TEMPORARY DESIGNATION	3. VARIETY NAME
The second superior and the second se	VA97W-206	38206
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country)	5. TELEPHONE (include area code)	6. FAX (include area code)
1872 Pratt Dr., Suite 1625 Blacksburg, VA 24060	540-951-9374	540-951-5292
	7. PVPO NUMBER 20	0300112
8. Does the applicant own all rights to the variety? Mark an "X" in appropri	rate block if no places and	YES NO
<ol> <li>is the applicant (individual or company) a U.S. national or U.S. based co if no, give name of country</li> </ol>	mpany?	YES NO
10. Is the applicant the original owner?	O If no, please answer one of the for	lowing:
a. If original rights to variety were owned by individual(s), is (are) the original	ginal owner(s) a U.S. national(s)?	
YES No. If original rights to variety were owned by a company(ies), is(are) the	•	
X YES NO		
1. Additional explanation on ownership (if needed, use neverse for extra spa Original owner Virginia Polytechnic Institu ownership to current owner Virginia Tech In	ite and State University	r assigned its nc. (see attached)
EASE NOTE:		
ant variety protection can be afforded only to owners (not licensees) who meet one	of the following criteria:	-
If the rights to the variety are owned by the original breeder, that person must be a which affords similar protection to nationals of the U.S. for the same genus and sp	U.S. national, national of a UPOV member reces.	country, or national of a country
If the rights to the variery are owned by the company which employed the original member country, or owned by nationals of a country which affords similar protects	breeder(s), the company must be U.S. based on to nationals of the U.S. for the same gen	, owned by nationals of a UPOV us and species.
If the applicant is an owner who is not the original owner, both the original owner:	and the applicant must meet one of the above	criteria.
ariginal breeder/owner may be the individual or company who directed final bree	ding. See Section 41(a)(2) of the Plant Varie	rry Protection Act for definition.
countring to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection is information collection is 0581-0055. The time required to compete this information collection exciting soliting data sources, gettering and maintaining the data needed, and completing and revision.	is estimated to average 10 minutes per response, in	number. The valid CMS control number for aducting the time for reviewing instructions,
the U.S. Department of Agriculture (USDA) prohibits decrimination in its programs on the basis of rac for all prohibited basists apply to all programs). Persons with disabilities who require alternative mas SDA's TARGET Center at 202-720-2500 (voice and TDO),	28, color, national origin, sex, religion, age, discebilly, p and for contraunication of program information (braile	officer beliefs, and marks or tamile status. I large print, suciotape, etc.) should contact
of the a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washingto	m, O.C. 20250, or call 1-800-245-6340 (voice) or (	202) 720-1127 (TOO). USDA is an equal

## GERMPLASM GROUP ASSIGNMENT

01.053	VA96W-403WS
01.054	VA97W-206
01.055	VA96W-56
01.056	VA96-54-372
01.057	VA96W-391

VIRGINIA POLYTECHNIC INSTITUTE AND STATE UNIVERSITY (hereinafter referred to as the "UNIVERSITY"), assigns to VIRGINIA TECH INTELLECTUAL PROPERTIES, INC. (hereinafter referred to as "VTIP") all rights, title and interest in and to all of the above-listed GERMPLASMS as held by the UNIVERISTY.

The UNIVERSITY, by its authorized agents, agrees that it will execute all necessary assignments as requested by VTIP, to facilitate the filing of patent applications and/or copyright registrations. It will render any reasonable assistance requested to aid in preparation of such applications and/or registrations.

The UNIVERSITY shall retain the right to make use of the GERMPLASMS for internal research and other non-commercial purposes without cost to the UNIVERSITY.

All royalties, rents, payments, or any cash receipts from the sale, assignment, transfer, licensing or use of the GERMPLASMS shall be the property of VTIP and shall be distributed according to the provisions of the Virginia Agricultural Experiment Station (VAES) Plant Germplasm Release Policy (PGRP).

Prior to the execution of this Assignment, the UNIVERSITY has not granted the right of license to make, use, or sell said GERMPLASM to anyone except to VTIP, nor has it otherwise encumbered its rights, title and interest in said GERMPLASM, and it will not execute any instrument in conflict with this Assignment.

> VIRGINIA POLYTECHNIC INSTITUTE AND STATE UNIVERSITY

MINNIS E. RIDENOUR

Chief Operating Officer

### STATE OF VIRGINIA

COUNTY OF MONTGOMERY, to-wit:

The	foregoing instrument was acknowledged before me this day of
ي ت	NE , 2001, by MINNIS E. RIAENOUR, COO
of Virginia l	Polytechnic Institute and State University, on behalf of said University.
1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	Notary Public
	My commission expires: 12/31/04